






























TABELARIČNI PRIKAZ OPREME IN SIGNALIZACIJE – list 1

PROFIL LEGA	ŠIFRA	DIMENZIJA (cm)	RAZRED SVETLOBNE ODBOJNOST	SKICA	VIŠINA OD TAL (cm)	ŠT. STEBROV (kos)	DOLŽINA STEBRA (cm)	OPOMBA
0,5+0,0 km DE R3-635/1121	2313	60	RA1		150	1	290	NOV
0,5+0,0 km DE R3-635/1121	3218	40	RA2		150	1	250	OBSTOJEČ
0,5+0,0 km LE R3-635/1121	2301-1	60	RA3		150	1	290	OBSTOJEČ
0,5+12,50 km OS R3-635/1121	2303	30	RA3		70			OBSTOJEČ
	3313	30x60	RA2		10			
0,5+13,80 km LE R3-635/1121	2201	60	RA2		150			OBSTOJEČ
0,5+48,86 km LE R3-635/1121	3410-1	323x240	RA2		250			OBSTOJEČ (pritrditvev na portal)
0,5+30,10 km LE R3-635/1121	2226-1	60	RA3		225	1	365	NOV
0,6+78,00 km DE R3-635/1121	2313	60	RA1		150	1	290	NOV

TABELARIČNI PRIKAZ OPREME IN SIGNALIZACIJE – list 2

PROFIL LEGA	ŠIFRA	DIMENZIJA (cm)	RAZRED SVETLOBNE ODBOJNOST	SKICA	VIŠINA OD TAL (cm)	ŠT. STEBROV (kos)	DOLŽINA STEBRA (cm)	OPOMBA
0,6+26,80 km OS R3-635/1121	2303	30	RA3		70	1	180	NOV
	3313	30x60	RA2		10			
0,6+46,10 km LE R3-635/1121	2313	60	RA1		150	1	290	NOV
0,6+51,90 km OS R3-635/1121	2303	30	RA3		70	1	180	NOV
	3313	30x60	RA2		10			
0,6+59,70 km DE R3-635/1121	2310	60	RA1		225	1	365	NOV
0,6+64,80 km LE R3-635/1121	3401	200x150	RA2					OBSTOJEČ (pritrditev na obst AB zid)
0,6+68,80 km DE R3-635/1121	3202	60	RA2		225	1	365	NOV
0,6+75,40 km DE R3-635/1121	2101	90	RA3		225	1	380	NOV
0,7+16,0 km LE R3-635/1121	2301-1	60	RA3		150	1	290	OBSTOJEČ

TABELARIČNI PRIKAZ OPREME IN SIGNALIZACIJE – list 3

PROFIL LEGA	ŠIFRA	DIMENZIJA (cm)	RAZRED SVETLOBNE ODBOJNOST	SKICA	VIŠINA OD TAL (cm)	ŠT. STEBROV (kos)	DOLŽINA STEBRA (cm)	OPOMBA
0,7+28,00 km OS R3-635/1121	2303	30	RA3		70	1	180	NOV
	3313	30x60	RA2		10			
0,7+41,80 km OS R3-635/1121	2303	30	RA3		70	1	180	NOV
	3313	30x60	RA2		10			
0,6+88,80 km LE R3-635/1121	2309	60	RA1		150	1	290	NOV
1,0+0,0 km DE R3-635/1121	3218	40	RA2		150	1	250	OBSTOJEČ
1,0+86,30 km LE R3-635/1121	2434	100x50	RA2		250	2	380	NOV (prestavitev)
1,0+86,30 km DE R3-635/1121	2435	100x50	RA2		250	2	380	NOV (prestavitev)
1,0+68,86 km DE R3-635/1121	3410-1	284x148	RA2		250			OBSTOJEČ (pritrditev na portal)
1,1+5,40 km LE R3-635/1121	2313	60	RA1		150	1	290	NOV