




Diagram illustrating the layout of a road cross-section. The total width is 8.65m. The components are:

- 0.25m varnostna širina (safety width)
- 3.00–3.15m vozni pas (driving lane)
- 3.00–3.15m vozni pas (driving lane)
- 0.50m bankina (shoulder)



		Naziv: ime in priimek Ident.st. IZS: Plople	
Odg.vpr.: Vesna ANDREJC u.d.i.g.		G-2294	
Odg.proj.: Vesna ANDREJC u.d.i.g.		G-2294	
Obdel.: Špela KOK u.d.i.g. (UN)			
Datum: 16.10.2019 10:01 Izdano št.: 40208149			
editev para avtobusnih postajališč Saksid na državni cesti –204/1013, od km 1.850 do km 2.230		St. proj.: 228–2021	
		St. nabrta: 228–2021–B	
		Sifra CC: 2112	
ZP:	Merilo: 1:50	Datum: september 2021	
KARAKTERISTIČNI PREČNI PREREZ ARIANTA 3		Del risbe:	
		investitor:  RS, Ministrstvo za infrastrukturo Direkcija RS za infrastrukturo Tržaška cesta 19, 1000 LJUBLJANA	
risavska številka:	faza/objekt:	številko risbe:	
0022.00	002.2103	G.131.5	
G.21		Avtor risbe: ANDREJC d.o.o. 228–2021–B–G.131.5	